

# APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 23 1981

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed APR 23 1981The applicant Michael R. Zakula1590 North 950 East S.R. 1, Box 5-B, of Ely,  
Street and No. or P.O. Box No. City or TownNevada 89301, hereby make S application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Sources  
Name of stream, lake or other source.2. The amount of water applied for is 0.05 cfs second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet \_\_\_\_\_ acre-feet

3. The water to be used for Quasi-Municipal  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) \_\_\_\_\_

(b) Stockwater (state number and kinds of animals to be watered) \_\_\_\_\_

(c) Other use (describe fully under "No. 12. Remarks") \_\_\_\_\_

(d) Power:

(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point: in the SW $\frac{1}{4}$  SE $\frac{1}{4}$  SE $\frac{1}{4}$  Of Section 25,  
T.17N., R.63E., M.D.B.&M. whence the Southeast Corner of said Section 25 bears  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
S.83°03'E., 1182 feet distant  
it should be stated.6. Place of use SW $\frac{1}{4}$  SE $\frac{1}{4}$  SE $\frac{1}{4}$  of Section 25, T.17N., R.63E., M.D.B.&M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.7. Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water will be pumped into a 100 gallon pressure tank and from there piped to the proposed place of use.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$3,500.00
10. Estimated time required to construct works.....3 years  
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use.....5 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This water will be used to service a dental office and a residence in  
the proposed place of use for a total annual use of 950,000 gallons

Michael R. Zakula

By s/Richard Forman

Signature, applicant or agent

Compared bc/bl ja/br

P.O. Box 150, Ely, Nevada 89301

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is issued as a preferred use pursuant to Chapter 534.120 of the Nevada Revised Statutes.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 0.95 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before September 2, 1985

Proof of completion of work shall be filed before October 2, 1985

Application of water to beneficial use shall be made on or before September 2, 1988

Proof of the application of water to beneficial use shall be filed on or before October 2, 1988

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed..... IN TESTIMONY WHEREOF, I, PETER G. MORROS  
Completion of work filed..... NOV 01 1985  
Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of  
Cultural map filed..... NOV 10 1988 my office, this 2nd day of SEPTEMBER

CANCELLED  
Certificate No. Issued BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

A.P. 19.83.

STATE ENGINEER

State Engineer